

POS | LABEL | PORTABLE | PANEL | KIOSK



Swift & Easy Printing Solutions



STL524B

LABEL

PRINTER SOLUTIONS

>> Barcode Printer









Swift 58mm Label Printers



Advantages :

- Support two printing modes Receipt/Label
- 127mm/s ultra-high printing speed
- Out of paper alarm, overheat protection

Application Scenarios :

- | | |
|---|---|
|  Logistics |  Take Away |
|  Retail |  Storage |
|  Catering |  Garment |

STL524B

Professional 58mm Label Printer

Print Method	Thermal line
Resolution	8dots/mm (203dpi)
Print Speed	100mm/s (Thermal Label Paper); 127mm/s (Normal Thermal Paper)
Effective Print Width	48mm/56mm
Paper Width	25-60mm
Paper roll diameter	Max ϕ 80mm
Character Set	ASCII, GB18030(Chinese), GB12345, Shift JIS(Japanese) BIGS, Codepage
Print Font	Codepage,; ANK: 9 x17 / 12 x24; Chinese: 24 x 24
Barcode	1D:UPC-A, UPC-E, EAN-13, EAN-8, CODE39, ITF25, CODEBAR, CODE93, CODE128
	2D: PDF417, QR CODE, DATA MATRIX
Interface	USB + Bluetooth + Cash Drawer
Driver	Windows/Linux/Android
Power Supply	DC12V \pm 5% , 2A
Paper Thickness	0.06mm ~ 0.08mm(Normal Thermal Paper)
	0.12~0.14mm(Thermal Label Paper)
TPH	50KM
Paper Cutting Method	Manual, Auto-peel(Label Paper) for option
Dimension	160x130x115mm(LxWxH)
Weight	580g (NO Paper)
Operation Temp/Humidity	5°C ~ 50°C/10% ~ 80%
Storage Temp/Humidity	-20°C ~ 60°C /10% ~ 90%

