

POS | LABEL | PORTABLE | PANEL | KIOSK



Swift & Easy Printing Solutions



STR860E

POS

PRINTER SOLUTIONS

>> Receipt Printer



Swift 80mm POS Printers



Advantages :

- Modern design
- Low price with high quality
- Support hang up on the wall

Application Scenarios :



Tax



Receipt



Retail



POS



Catering



Garment

STR860E

Professional 80mm POS Receipt Printer

| | |
|--------------------------|---|
| Print Method | Thermal line |
| Resolution | 8 dots/mm(203 dpi), 576 dots/line |
| Print Speed | 200mm/s |
| Effective Printing Width | 72 mm/48mm |
| Character Set | ASCII, GB18030(Chinese), BIG5, Codepage |
| Self-defined Characters | Yes |
| Graph Printing | Diagram, download bitmap supported |
| Print Font | Codepage; ANK: 9 x17 / 12 x24; Chinese: 24 x 24 |
| Barcode | 1D:UPC-A, UPC-E, EAN-13, EAN-8, CODE39, ITF25, CODABAR, CODE93, CODE128 |
| | 2D: PDF417, QRCODE, Data Matrix |
| Interface | USB + Ethernet + Cash Drawer |
| TPH | 150KM |
| Cutter Life | 1,500,000 cuts |
| Cash Drawer Control | DC24V,1 A; 6 PIN RJ-11 socket |
| Power Supply (Adapter) | DC24V±10%, 2A |
| Paper Type | Normal Thermal Paper |
| Paper Thickness | 0.06mm ~ 0.08mm |
| Paper Installation | Drop-in Easy Loading |
| Paper Cutting Method | Full Cut/ Patrial Cut |
| Dimension | 179x152x118mm(L×W×H) |
| Command | ESC/POS |
| Operation Temp/Humidity | 5 ~ 50°C/10 ~ 80% |
| Storage Temp/Humidity | -20 ~ 60°C/10 ~ 90% |

