

POS | LABEL | PORTABLE | PANEL | KIOSK



Swift & Easy Printing Solutions



STR880ES

POS

PRINTER SOLUTIONS

>> Receipt Printer



Swift 80mm POS Printers



Advantages :

- Automatic memory printing
- Printing speed setting support
- Anti-electromagnetic interference level 3
- Paper cover and cutter error being detected

Application Scenarios :



Tax



Receipt



Retail



POS



Catering



Garment

STR880ES

Professional 80mm POS Receipt Printer

Print Method	Thermal line
Resolution	8 dots/mm(203 dpi), 576 dots/line
Print Speed	250mm/s
Effective Print Width	72mm
Paper Width	79.5mm±0.5mm
Self-defined Characters	Yes
Character Set	ASCII, GB18030(Chinese), BIG5, Codepage
Print Font	GB18030: 24x24 ASCII: 12x24, 7x9
Barcode	1D:UPC-A, UPC-E, EAN-13, EAN-8, CODE39, ITF25, CODABAR, CODE93, CODE128
	2D: PDF417, QR CODE, DATA MATRIX
Interface	USB + Ethernet + Serial + Cash Drawer
Cash Drawer Control	DC24V, 1A, 6PIN RJ-11Socket
Power Supply (Adapter)	DC 24V±10%, 2A
Paper Type	Thermal Paper
Paper Thickness	0.06mm ~ 0.08mm
TPH	150KM
Paper Roll Diameter	80mm (MAX)
Dimension	212mm×150mm×135mm(L×W×H)
Weight	1456g(NO Paper)
Auto Cutter	1,500,000 cuts
Diver	Windows/JPOS/OPOS/Linux/Android
Operation Temp/Humidity	0°C ~ 50°C/10% ~ 80%
Storage Temp/Humidity	-20°C ~ 60°C /10% ~ 90%

